

09/756597

Welcome to STN International Web Page UPLs for STN Seminar Schedule - N. America NEWS NEWS 2 Sep 17 IMSworld Pharmaceutical Company Directory name change to PHAFMASEARCH NEWS 3 Oct 09 Korean abstracts now included in Derwent World Patents Index NEWS 4 Oct 09 Number of Derwent World Patents Index updates increased NEWS 5 Oct 15 Calculated properties now in the REGISTRY/ZREGISTRY File NEWS 6 Oct 22 Over 1 million reactions added to CASREACT NEWS 7 Oct 22 DGENE GETSIM has been improved NEWS 8 Oct 29 AAASD no longer available NEWS 9 Nov 19 New Search Capabilities USPATFULL and USPAT2 NEWS 10 Nov 19 TOXCENTER(SM) - new toxicology file now available on STN NEWS 11 Nov 29 COPPERLIT now available on STN NEWS 12 Nov 29 DWPI revisions to NTIS and US Provisional Numbers NEWS 13 Nov 30 Files VETU and VETB to have open access NEWS 14 Dec 10 WPINDEX/WPIDS/WPIX New and Revised Manual Codes for 2002 NEWS 15 Dec 10 DGENE BLAST Homology Search NEWS 16 Dec 17 WELDASEARCH now available on STN NEWS 17 Dec 17 STANDARDS now available on STN NEWS 18 Dec 17 New fields for DPCI NEWS 19 Dec 19 CAS Roles modified NEWS 20 Dec 19 1907-1946 data and page images added to CA and CAplus NEWS 21 Jan 25 BLAST(R) searching in REGISTRY available in STN on the Web NEWS 22 Jan 25 Searching with the P indicator for Preparations NEWS EXPRESS August 15 CURPENT WINDOWS VERSION IS V6.0c, CURFENT MACINTISH VERSION IS V6.0 (ENG) AND V6.0J (JP), AND CURRENT DISCOVER FILE IS DATED 07 AUGUST 2001 NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS INTER General Internet Information Welcome Banner and News Items NEWS LOGIN NEWS PHONE Direct Dial and Telecommunication Network Access to STN NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

THIS S MMANU NOT AVAILABLE IN THE SUBBRICE FILE.
If he commands only work in Section files. For example, the EMFANI

command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> file caplus
GIST IN U.S. DOLLARS

SINCE FILE TOTAL SESSION 1.47 1.47

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 10:36:38 ON 26 JAN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE COVERS 1907 - 26 Jan 2002 VOL 136 ISS 5 FILE LAST UPDATED: 25 Jan 2002 (20020125/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

CAplus now provides online access to patents and literature covered in CA from 1907 to the present. Bibliographic information and abstracts were added in 2001 for over 3.8 million records from 1907-1966.

CAS roles have been modified effective December 16, 2001. Please theck your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

The CA Lexicon is now available in the Controlled Term (/CT) field. Enter HELP LEXICON for full details.

Attention, the CA Lewison is the copyrighted intellectual property of the American Chemical Robiety this is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of

=> s light?(P) fluid

823209 LIGHT?

304431 FLUID

125113 FLUIDS

363754 FLUID

- = · d 12 1-59 ti
- L2 ANSWER 1 OF 59 CAPLUS COPYRIGHT 2002 AGS
- TI Flow topology adjacent to a fast moving contact line
- L2 ANSWER 2 OF 59 CAPLUS COPYFIGHT 2002 ACS
- TI Crustal heat production and style of metamorphism: a comparison between two Archean high grade provinces in the Limpopo Belt, southern Africa
- L2 ANSWER 3 OF 59 CAPLUS COPYFIGHT 2002 ACS
- TI Infferent structural vascular changes in angiotensin II-treated and cold-stressed rats
- L.: ANSWER 4 OF 59 CAPLUS DIPWRIGHT 2002 ADS
- TI Light scattering and rheplogy of complex fluids driven far from equilibrium
- LL ANSWER 5 OF 59 CAPLUS COPYFIGHT 2002 ACS
- TI Fetal epidermal differentiation and barrier development in vivo is accelerated by nuclear hormone receptor activators
- LO ANSWER 6 OF 59 CAPLUS COPYFIGHT 2002 AGS
- TI Fheological behavior of Erwinia gum in aqueous solution
- L2 ANSWER 7 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI The morphology of non-equilibrium foam and gelled foam lamellae in porous media
- LO ANSWER 8 OF 59 CAPLUS COPYFIGHT 2002 ACS
- TI Ablation of inner hair cells by carboplatin alters cells in the medial K+ flow route and disrupts testerial membrane
- L.: ANSWER 9 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI A commercially available FD fluid with high pH and low GDP induces different morphological changes of rat peritoneum in intermittent PD
- LO ANSWER 10 OF 59 CAPLUS COPYRIGHT 2002 ACC
- TI Improving thickener performance at the Pasmingo Hobart smelter
- LO ANSWER 11 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Uplift and exposure history of the Cote d'Ivoire-Ghana transform margin: geochemistry of pore-filling and fracture vein calcites
- LU ANSWER 12 OF 59 CAPLUS COPYRIGHT 2002 ACC
- T: Gas-assisted displacement of viscoelastic fluids: flow dynamics at the hubble front
- L2 ANSWER 13 OF 59 CAPLUS COPYRIGHT 2002 ACC
- TI Alteration of fibronectin, laminin, and phospholipid in BALF of guinea rigs with herylliosis
- LZ ANSWER 14 OF 59 CAPLUS COPYRIGHT 2002 AUG
- TI Effect of zinc definiency on boundary layers of seminiferous tubules of

thickening

13 ANSWER 16 OF 59 CARLMA COENFIGHT 26 C ACC

STN Columbus

- TI Shear thickening in low-concentration wormlike micellar solutions.
- L2 ANSWER 17 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Shear-induced dimerization
- L2 ANSWER 18 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Hydrothermal light-weight calcium phosphate cements: use of polyacrylnitrile-shelled hollow microspheres
- L2 ANSWER 19 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Pheophysics of lamellar phases
- LO ANSWER 20 OF 59 CAPLUS COPYRIGHT 2000 ACS
- TI Col-free, water-soluble, hydroxyethyl cellulose, liquid, polymer dispersion
- L2 ANSWER 21 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Hydrogen peroxide-induced dermatitis in WBN/Kab-Ht rats
- L2 ANSWER 22 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Stable isotope evidence for thermochemical sulfate reduction in the Dugald Fiver (Australia) strata-bound shale-hosted zinc-lead deposit
- LO ANSWER 23 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Network formation and its consequences for the physical behavior of associating polymers in solution
- L2 ANSWER 24 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Shear Induced Structural Changes in a Gel-Forming Suspension Studied by Light Scattering and Rheology
- L2 ANSWER 25 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Solidification fronts and magmatic evolution
- L2 ANSWER 26 OF 59 CAPLUS COPYPIGHT 2002 ACS
- TI Laboratory models of growing flanges, and a comparison with other growth mechanisms of "black smoker" chimneys
- L3 ANSWER 27 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI A comparison of carboxyhemoglobin measurements of thermo-changed blood with co-eximeter and gas enromatography
- LO ANSWER 28 OF 59 CAPLUS CORYFIGHT 2000 ACS
- TI Noble metal abundances and characteristics of six granitic magma series, Archean Abitiki Belt, Footias Subprovince: relationships to metallogeny and overprinting of mesothermal gold deposits
- L. ANSWER 29 OF 59 CAPLUS COPYRIGHT 2000 ACS
- TI A rheclogical study on the viscoelastic flow past spheres in a cylinder
- L2 ANSWER 30 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Light scattering characterization of polymer additives and correlation of molecular properties of polymer fluids
- IN ANSWER OF FIRE WELLOW EVELOWING A CO
- The Alpheological study on the wishbelastic of whast spheres in a cylinder

- L1 ANSWER 33 OF 59 CAPLUS COPYPIGHT 2002 ACS
- Morphometric analysis of mankey cerebral arteries exposed in vivo to whole blood, oxyhemoglobin, methemoglobin, and bilirubin
- LI ANSWER 34 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Gil-well cement slurries with good fluid-less control
- L. ANSWER 35 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Response of rodents to inhaled diluted diesel exhaust: biochemical and cytological changes in branchoalveolar lavage fluid and in lung tissue
- LO ANSWER 36 OF 59 CAPLUS COPYFIGHT 0002 ACS
- TI Aqueous hydraulic fluids with syntheti: ingredients
- L. ANSWER 37 OF 59 CAPLUS COPYRIGHT 1001 ACS
- TI Flanning and implementing a large-scale polymer flood
- L2 ANSWER 38 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Stucco composition
- L. ANSWER 39 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Flow characteristics of hydraulic fluids of different viscosities. II. Flow in pumps: internal leakage and loss of efficiency
- LO ANSWER 40 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Drilling fluids
- LO ANSWER 41 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Oil recovery process employing thickened aqueous driving fluid
- L.: ANSWER 42 OF 59 CAPLUS COPYRIGHT 2001 ACS
- TI Laser Dopplermeter and polymer drag reduction
- LO ANSWER 43 OF 59 CAPLUS COPYRIGHT 2000 ACS
- TI Fuffuse interface in a critical fluid mixture
- L.: ANSWEF 44 OF 59 CAPLUS COPYFIGHT 200 ACS
- T: Evaluation of lubricants using optical elastohydrodynamics
- LO ANSWER 45 OF 59 CAPLUS COPYRIGHT 2000 ACS
- TI External flows of viscoelastic materials: fluid property restrictions on the use of velocity-sensitive probes
- L. ANSWER 46 OF 59 CAPLUS JUPPELIGHT 200 ACS
- T: Strengthening light steel pressure was elsely stretching
- LE ANSWER 47 OF 59 CAPLUS COPYRIGHT BOOK ACS
- TI Briquet lighter fluid
- LZ ANSWER 48 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Development of grease lubricants for heat-resistant ball and roller bearings of electrical equipment

Ti Indianating measure

- LD ANSWER 51 OF 59 CAPLUS COPYRIGHT 1002 ACS
- TI Lubricant antioxidants
- L1 ANSWER 52 OF 59 CAPLUS COPYFIGHT 2002 ACS
- TI Vinylation of cyclic hydrogarbons
- LL ANSWER 53 OF 59 CAPLUS CIPYFIGHT 2002 ACS
- TI Measurement of consistency of soft solids and thickened liquids
- LO ANSWER 54 OF 59 CAPLUS COPYRIGHT 1002 ACS
- TI Development of additives and lubricating-oil compositions
- LO ANSWER 55 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Complex basic soap greases
- L2 ANSWER 56 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Flasma membrane structure in the light of frost-hardening changes
- L2 ANSWER 57 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Ficus elastica and Castillea latexes
- L. ANSWER 58 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Making emulsions
- LI ANSWER 59 OF 59 CAPLUS COPYRIGHT 2002 ACS
- TI Compound fabrics
- $= \cdot 12 47 all$
- LO IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

- $= \cdot d 12 47 all$
- L2 ANSWER 47 OF 59 CAPLUS COPYRIGHT 2002 ACS

Full-text

Al: 1966:42934 CAPLUS

DI: 64:42934

OREF 64:7958c-d

- T: Briquet lighter fluid
- III Mueller, Albert J.; Wills, Lowell E.
- PA Great Lakes Carbon Corp.
- S) 3 pp.
- LT Patent
- LA Unavailable
- NCL 044007000
- CC 27 (Petroleum and Petroleum Derivatives)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICAT	CION NO.	DATE
PΙ	US 3226208		19651228	US		19610321
	` lighter fluid	• : • •	11 × 12 × 40 × 12 × 1	$\gamma = \epsilon \ , = \epsilon \ , \stackrel{\text{iff}}{=} \epsilon_i \epsilon_i \gamma_i \gamma_i + \stackrel{\text{iff}}{=} \epsilon_i$	arrearar	ce to the

thickening the grate and with the large with the parameters and with the solution of the solut